

## THE RESEARCH

Hundreds of studies support the benefits of drinking milk.  
Here are some key scientific references.

### Healthier Diets

Barr SI, McCarron DA, Heaney RP, Dawson-Hughes B, Berga SL, Stern JS, Oparil S. Effects of increased consumption of fluid milk on energy and nutrient intake, body weight, and cardiovascular risk factors in healthy older adults. *Journal of the American Dietetic Association*. 2000;100:810-817.

Bowman SA. Beverage choice of young females: changes and impact on nutrient intakes. *Journal of the American Dietetic Association*. 2002;102: 1234-1239.

Cotton PA, Subar AF, Friday JE, Cook A. Dietary sources of nutrients among US adults, 1994 to 1996. *Journal of the American Dietetic Association*. 2004;104:921-930.

Douglass J, Murphy M, Barr S, Johnson R, Frye C. Associations between patterns of beverage consumption and nutrient intakes and BMI in the U.S. *FASEB Journal*; 2007: A833.5.

Fulgoni V, Nicholls J, Reed A, Buckley R, Kafer K, Huth P, DiRienzo D, Miller GD. Dairy consumption and related nutrient intake in African-American adults and children in the United States: continuing survey of food intakes by individuals 1994-1996, 1998, and the National Health And Nutrition Examination Survey 1999-2000. *Journal of the American Dietetic Association*. 2007;107:256-264.

Gerrior S, Bente L, Hiza H. Nutrient content of the U.S. Food Supply, 1909-2000. Home Economics Research Report No. 56. U.S. Department of Agriculture, Center for Nutrition Policy and Promotion, 2004.

McGill CR, Fulgoni VL 3rd, DiRienzo D, Huth PJ, Kurilich AC, Miller GD. Contribution of dairy products to dietary potassium intake in the United States population. *Journal of the American College of Nutrition*. 2008;27:44-50.

Ranganathan R, Nicklas TA, Yang SJ, Berenson GS. The nutritional impact of dairy product consumption on dietary intakes of adults (1995-1996): the Bogalusa Heart Study. *Journal of the American Dietetic Association*. 2005;105:1391-1400.

U.S. Department of Health and Human Services and U.S. Department of Agriculture. *Dietary Guidelines for Americans*, 2005. 6<sup>th</sup> Edition, Washington, DC: U.S. Government Printing Office, January, 2005.

Weinberg LG, Berner LA, Groves JE. Nutrient contributions of dairy foods in the United States, Continuing Survey of Food Intakes by Individuals, 1994-1996, 1998. *Journal of the American Dietetic Association*. 2004;104: 895-902.

### Bone Health

Bischoff-Ferrari HA, Rees JR, Grau MV, Barry E, Gui J, Baron JA. Effect of calcium supplementation on fracture risk: a double-blind randomized controlled trial. *American Journal of Clinical Nutrition*. 2008;87:1945-1951.

Bischoff-Ferrari HA, Willett WC, Wong JB, Giovannucci E, Dietrich T, Dawson-Hughes B. Fracture prevention with vitamin D supplementation: a meta-analysis of randomized controlled trials. *Journal of the American Medical Association*. 2005;293:2257-2264.

Heaney RP. Calcium, dairy products and osteoporosis. *Journal of the American College of Nutrition*. 2000;19:83S-89S.

Heaney RP. The importance of calcium intake for lifelong skeletal health. *Calcified Tissue International*. 2002;70:70-73.

Key TJ, Appleby PN, Spencer EA, Roddam AW, Neale RE, Allen NE. Calcium, diet and fracture risk: a prospective study of 1898 incident fractures among 34 696 British women and men. *Public Health Nutrition*. 2007;10:1314-1320.

Lappe JM, Cullen DM, Thompson K, Ahlf R. Calcium and vitamin D supplementation reduces incidence of stress fractures in navy recruits. Presented at the 53rd annual Orthopaedic Research Society meeting, 2007.

Matlik L, Savaiano D, McCabe G, VanLoan M, Blue CL, Boushey CJ. Perceived milk intolerance is related to bone mineral content in 10- to 13-year-old female adolescents. *Pediatrics*. 2007;120:e669-677.

Moore LL, Bradlee ML, Gao D, Singer MR. Effects of average childhood dairy intake on adolescent bone health. *Journal of Pediatrics*. 2008;153:667-673.

Napoli N, Thompson J, Civitelli R, Armamento-Villareal RC. Effects of dietary calcium compared with calcium supplements on estrogen metabolism and bone mineral density. *American Journal of Clinical Nutrition*. 2007;85:1428-1433.

Uenishi K, Ishida H, Toba Y, Aoe S, Itabashi A, Takada Y. Milk basic protein increases bone mineral density and improves bone metabolism in healthy young women. *Osteoporosis International*. 2007;18:385-390.

U.S. Department of Health and Human Services. Bone health and osteoporosis: A report of the Surgeon general. Rockville, MD: U.S. Department of Health and Human Services, Office of the Surgeon General, 2004.

Additional studies at: [PubMed Research Database](#)

## Heart Health

Alonso, A., Beunza, JJ., Delgado-Rodriguez, M., Martinez, JA., and Martinez-Gonzalez, MA. Lowfat dairy consumption and reduced risk of hypertension: the Seguimiento Universidad de Navarra (SUN) cohort. *American Journal of Clinical Nutrition*. 2005; 82: 972

American Heart Association Nutrition Committee, Lichtenstein AH, Appel LJ, Brands M, Carnethon M, Daniels S, Franch HA, Franklin B, Kris-Etherton P, Harris WS, Howard B, Karanja N, Lefevre M, Rudel L, Sacks F, Van Horn L, Winston M, Wylie-Rosett J. Diet and lifestyle recommendations revision 2006: a scientific statement from the American Heart Association Nutrition Committee. *Circulation*. 2006;114:82-96.

Appel LJ, Moore TJ, Obarzanek E, Vollmer WM, Svetkey LP, Sacks FM, Bray GA, Vogt TM, Cutler JA, Windhauser MM, Lin PH, Karanja N. A clinical trial of the effects of dietary patterns on blood pressure. DASH Collaborative Research Group. *New England Journal of Medicine*. 1997;336:1117-1124.

Elwood PC, Strain JJ, Robson PJ, Fehily AM, Hughes J, Pickering J, Ness A. Milk consumption, stroke, and heart attack risk: evidence from the Caerphilly cohort of older men. *Journal of Epidemiology and Community Health*. 2005;59:502-505.

Nettleton JA, Steffen LM, Palmas W, Burke GL, Jacobs DR Jr. Associations between microalbuminuria and animal foods, plant foods, and dietary patterns in the Multiethnic Study of Atherosclerosis. *American Journal of Clinical Nutrition*. 2008;87:1825-1836.

Ruidavets JB, Bongard V, Simon C, Dallongeville J, Ducimetière P, Arveiler D, Amouyel P, Bingham A, Ferrières J. Independent contribution of dairy products and calcium intake to blood pressure variations at a population level. *Journal of Hypertension*. 2006;24:671-681.

Wang L, Manson JE, Buring JE, Lee IM, Sesso HD. Dietary intake of dairy products, calcium, and vitamin D and the risk of hypertension in middle-aged and older women. *Hypertension*. 2008;51:1-7.

## Healthy Weight

Barr SI, McCarron DA, Heaney RP, Dawson-Hughes B, Berga SL, Stern JS, Oparil S. Effects of increased consumption of fluid milk on energy and nutrient intake, body weight, and cardiovascular risk factors in healthy older adults. *Journal of the American Dietetic Association*. 2000;100:810-817.

Bowman SA. Beverage choice of young females: changes and impact on nutrient intakes. *Journal of the American Dietetic Association*. 2002;102: 1234-1239.

Caan B, Neuhouser M, Aragaki A, Lewis CB, Jackson R, Leboff MS, Margolis KL, Powell L, Uwaifo G, Whitlock E, Wylie-Rosett J, Lacroix A. Calcium plus vitamin D supplementation and the risk of postmenopausal weight gain. *Archives of Internal Medicine*. 2007;167:893-902.

Davies KM, Heaney RP, Recker RR, Lappe JM, Barger-Lux MJ, Rafferty K, Hinders S. Calcium intake and body weight. *Journal of Clinical Endocrinology and Metabolism*. 2000; 85:4635-4638

Eagan MS, Lyle RM, Gunther CW, Peacock M, Teegarden D. Effect of 1-year dairy product intervention on fat mass in young women: 6-month follow-up. *Obesity*. 2006;14:2242-2248.

Heaney RP. Normalizing calcium intake: Projected population effects for body weight. *Journal of Nutrition*. 2003;133:268S-270S.

Hirota T, Kawasaki I, Ikeda H, Aoe T, Hirota K, Intake of vitamin D and milk was associated with increase in muscle mass and decrease in body fat during dieting in young women. *American Society for Bone and Mineral Research*. 2005;M272.

Lin YC, Lyle RM, McCabe LD, McCabe GP, Weaver CM, Teegarden D. Dairy calcium is related to changes in body composition during a two-year exercise intervention in young women. *Journal of the American College of Nutrition*. 2000;19:754-760.

Ochner CN, Lowe MR. Self-reported changes in dietary calcium and energy intake predict weight regain following a weight loss diet in obese women. *Journal of Nutrition*. 2007;137:2324-2328.

Riedt CS, Schluskel Y, Von Thun N, Amiba-Sobhan H, Stahl T, Field MP, Sherrell RM, Shapses SA. Premenopausal overweight women do not lose bone during moderate weight loss with adequate or higher calcium intake. *American Journal of Clinical Nutrition*. 2007;85:972-980.

## **Recovery Aid**

Casa DJ, Armstrong LE, Hillman SK, Montain SJ, Reiff RV, Rich BS, Roberts WO, Stone JA. National Athletic Trainers' Association Position Statement: Fluid Replacement for Athletes. *Journal of Athletic Training*. 2000;35:212-224.

Cockburn E, Hayes PR, French DN, Stevenson E, St Clair Gibson A. Acute milk-based protein-CHO supplementation attenuates exercise-induced muscle damage. *Applied Physiology, Nutrition, and Metabolism*. 2008;33:775-783.

Elliot TA, Cree MG, Sanford AP, Wolfe RR, Tipton KD. Milk ingestion stimulates net muscle protein synthesis following resistance exercise. *Medical Science in Sports & Exercise*. 2006;38:667-674.

Hartman JW, Tang JE, Wilkinson SB, Tarnopolsky MA, Lawrence RL, Fullerton AV, Phillips SM. Consumption of fat-free fluid milk following resistance exercise promotes greater lean mass accretion than soy or carbohydrate consumption in young novice male weightlifters. *American Journal of Clinical Nutrition*, 2007;86:373-381.

Karp JR, Johnston JD, Tecklenburg S, Mickleborough TD, Fly AD, Stager JM. Chocolate Milk as a Post-Exercise Recovery Aid. *International Journal of Sport Nutrition and Exercise Metabolism*. 2006; 78-91.

Shirreffs SM, Watson P, Maughan RJ. Milk as an effective post-exercise rehydration drink. *British Journal of Nutrition*. 2007;1-8.

Watson P, Love TD, Maughan RJ, Shirreffs SM. A comparison of the effects of milk and a carbohydrate-electrolyte drink on the restoration of fluid balance and exercise capacity in a hot, humid environment. *European Journal of Applied Physiology*. 2008;Epub ahead of print.

Wilkinson SB, Tarnopolsky MA, MacDonald MJ, MacDonald JR, Armstrong D, Phillips SM. Consumption of fluid skim milk promotes greater muscle protein accretion after resistance exercise than does consumption of an isonitrogenous and isoenergetic soy-protein beverage. *American Journal of Clinical Nutrition* 2007;85:1031-40.

## **Role Modeling – Family Health**

Ballew C, Kuester S, Gillespie C. Beverage choices affect adequacy of children's nutrient intakes. *Archives of Pediatrics and Adolescent Medicine*. 2000;154:1148-1152.

Fiorito LM, Mitchell DC, Smiciklas-Wright H, Birch LL. Girls calcium intake is associated with bone mineral content during middle childhood. *Journal of Nutrition*. 2006; 136: 1281-1286.

Fisher JO, Mitchell D, Smiciklas-Wright H, Birch LL. Maternal milk consumption predicts the tradeoff between milk and soft drinks in young girls' diets. *Journal of Nutrition*. 2001; 131:246-250.

Forshee RA, Anderson PA, Storey ML. Changes in calcium intake and association with beverage consumption and demographics: Comparing Data from CSFII 1994-1996, 1998 and NHANES 1999-2002. *Journal of the American College of Nutrition*. 2006;25:108-116.

Goulding A, Rockell JE, Black RE, Grant AM, Jones IE, Williams SM. Children who avoid drinking cow's milk are at increased risk for prepubertal bone fractures. *Journal of the American Dietetic Association*. 2004; 104: 250-253.

Malik VS, Schulze MB, Hu FB. Intake of sugar-sweetened beverages and weight gain: a systematic review. *American Journal of Clinical Nutrition*. 2006; 84:274-288.

Moore LL, Bradlee ML, Goo D, Singer MR. Low dairy intake in early childhood predicts body fat gain. *Obesity*. 2006;14:1010-1018.

Novotny R, Daida YG, Acharya S, Grove JS, Vogt TM. Dairy intake is associated with lower body fat and soda intake with greater weight in adolescent girls. *Journal of Nutrition*. 2004;134:1905-1909.

Picard D, Imbach A, Couturier M, Lepage R, Picard M. Familial resemblance of bone mineral density between females 18 years and older and their mothers. *Canadian Journal of Public Health*. 200;92:353-358.

Striegel-Moore RH, Thompson D, Affenito SG, Franko DL, Obarzanek E, Barton BA, Schreiber GB, Daniels SR, Schmidt M, Crawford PB. Correlates of beverage intake in adolescent girls: the National Heart, Lung, and Blood Institute Growth and Health Study. *Journal of Pediatrics*. 2006;148:183-187.

## **Emerging Benefits**

### ***Type 2 Diabetes:***

Choi HK, Willett WC, Stampfer MJ, Rimm E, Hu FB. Dairy consumption and risk of type 2 diabetes mellitus in men: a prospective study. *Archives of Internal Medicine*. 2005;165:997-1003.

Liu S, Choi HK, Ford E, Song Y, Klevak A, Buring JE, Manson JE. A prospective study of dairy intake and the risk of type 2 diabetes in women. *Diabetes Care*. 2006;29:1579-1584.

Pittas AG, Dawson-Hughes B, Li T, Van Dam RM, Willett WC, Manson JE, Hu FB. Vitamin D and calcium intake in relation to type 2 diabetes in women. *Diabetes Care*. 2006;29:650-656.

Pittas AG, Lau J, Hu FB, Dawson-Hughes B. REVIEW: The role of vitamin D and calcium in type 2 diabetes. A systematic review and meta-analysis. *Journal of Clinical Endocrinology & Metabolism*. 2007;92:2017-2029.

Scragg R, Sowers M, Bell C; Third National Health and Nutrition Examination Survey. Serum 25-hydroxyvitamin D, diabetes, and ethnicity in the Third National Health and Nutrition Examination Survey. *Diabetes Care*. 2004;27:2813-2818.

### ***Metabolic Syndrome:***

Dhingra R, Sullivan L, Jacques PF, Wang TJ, Fox CS, Meigs JB, D'Agostino RB, Gaziano JM, Vasan RS. Soft drink consumption and risk of developing cardiometabolic risk factors and the metabolic syndrome in middle-aged adults in the community. *Circulation*. 2007;116.

Elwood PC, Pickering JE, Fehily AM. Milk and dairy consumption, diabetes and the metabolic syndrome: the Caerphilly prospective study. *Journal of Epidemiology and Community Health*. 2007;61:695-698.

Pfeuffer M, Schrezenmeir J. Milk and the metabolic syndrome. *Obesity Reviews*. 2007;8:109-118.

### ***Cancer:***

Kesse-Guyot E, Bertrais S, Duperray B, Arnault N, Bar-Hen A, Galan P, Hercberg S. Dairy products, calcium and the risk of breast cancer: results of the French SU.VI.MAX prospective study. *Annals of Nutrition and Metabolism*. 2007;51(2):139-45

Lappe JM, Travers-Gustafson D, Davies KM, Recker RR, Heaney RP. Vitamin D and calcium supplementation reduces cancer risk: results of a randomized trial. *American Journal of Clinical Nutrition*. 2007;85:1586-1591.

McCullough ML, Rodriguez C, Diver WR, Feigelson HS, Stevens VL, Thun MJ, Calle EE. Dairy, calcium, and vitamin D intake and postmenopausal breast cancer risk in the Cancer Prevention Study II Nutrition Cohort. *Cancer Epidemiology Biomarkers and Prevention*. 2005;14:2898-2904.

Park SY, Murphy SP, Wilkens LR, Nomura AM, Henderson BE, Kolonel LN. Calcium and Vitamin D Intake and Risk of Colorectal Cancer: the Multiethnic Cohort Study. *American Journal of Preventive Medicine*. 2007:1-10.

Wallace K, Baron JA, Cole BF, Sandler RS, Karagas MR, Beach MA, Haile RW, Burke CA, Pearson LH, Mandel JS, Rothstein R, Snover DC. Effect of calcium supplementation on the risk of large bowel polyps. *Journal of the National Cancer Institute*. 2004;96:921-925.